References:

- Annesley, T.M. (2007). Methanol-associated matrix effects in electrospray ionization tandem mass spectrometry. Clin Chem *53*, 1827-1834.
- Aurand, C., and Trinh, A. (2009). Selective Depletion of Phospholipids in Bioanalysis Using HybridSPE-PPT Technology. Chromatography Today, 38-41.
- Bennett, P., and Liang, H. (2004). Overcoming Matrix Effects Resulting from Biological Phospholipids through Selective Extraction in Quantitative LC/MS/MS. In ASMS Conference (Nashville, TN, Tandem Labs).
- Bonfiglio, R., King, R.C., Olah, T.V., and Merkle, K. (1999). The effects of sample preparation methods on the variability of the electrospray ionization response for model drug compounds. Rapid Commun Mass Spectrom *13*, 1175-1185.
- Chambers, E., Wagrowski-Diehl, D.M., Lu, Z., and Mazzeo, J.R. (2007). Systematic and comprehensive strategy for reducing matrix effects in LC/MS/MS analyses. J Chromatogr B Analyt Technol Biomed Life Sci *852*, 22-34.
- Choi, B.K., Hercules, D.M., and Gusev, A.I. (2001). Effect of liquid chromatography separation of complex matrices on liquid chromatography-tandem mass spectrometry signal suppression. J Chromatogr A *907*, 337-342.
- Dams, R., Benijts, T., Gunther, W., Lambert, W., and De Leenheer, A. (2002). Influence of the eluent composition on the ionization efficiency for morphine of pneumatically assisted electrospray, atmospheric-pressure chemical ionization and sonic spray. Rapid Commun Mass Spectrom *16*, 1072-1077.
- De Nardi, C., and Bonelli, F. (2006). Moving from fast to ballistic gradient in liquid chromatography/tandem mass spectrometry pharmaceutical bioanalysis: Matrix effect and chromatographic evaluations. Rapid Commun Mass Spectrom *20*, 2709-2716.
- Gosetti, F., Mazzucco, E., Zampieri, D., and Gennaro, M.C. (2010). Signal suppression/enhancement in high-performance liquid chromatography tandem mass spectrometry. J Chromatogr A *1217*, 3929-3937.
- Guo, X., Bruins, A.P., and Covey, T.R. (2006). Characterization of typical chemical background interferences in atmospheric pressure ionization liquid chromatography-mass spectrometry. Rapid Commun Mass Spectrom *20*, 3145-3150.

- Gustavsson, S.A., Samskog, J., Markides, K.E., and Langstrom, B. (2001). Studies of signal suppression in liquid chromatography-electrospray ionization mass spectrometry using volatile ion-pairing reagents. J Chromatogr A *937*, 41-47.
- Hsieh, Y. (2008). Potential of HILIC-MS in quantitative bioanalysis of drugs and drug metabolites. J Sep Sci *31*, 1481-1491.
- Ismaiel, O.A., Zhang, T., Jenkins, R.G., and Karnes, H.T. (2010). Investigation of endogenous blood plasma phospholipids, cholesterol and glycerides that contribute to matrix effects in bioanalysis by liquid chromatography/mass spectrometry. J Chromatogr B Analyt Technol Biomed Life Sci *878*, 3303-3316.
- Jemal, M., Schuster, A., and Whigan, D.B. (2003). Liquid chromatography/tandem mass spectrometry methods for quantitation of mevalonic acid in human plasma and urine: method validation, demonstration of using a surrogate analyte, and demonstration of unacceptable matrix effect in spite of use of a stable isotope analog internal standard. Rapid Commun Mass Spectrom *17*, 1723-1734.
- Jessome, L.L., and Volmer, D.A. (2006). Ion Suppression: A Major Concern in Mass Spectrometry. LCGC North America *24*, 498-510.
- Jian, W., Edom, R.W., Xu, Y., and Weng, N. (2010). Recent advances in application of hydrophilic interaction chromatography for quantitative bioanalysis. J Sep Sci *33*, 681-697.
- King, R., Bonfiglio, R., Fernandez-Metzler, C., Miller-Stein, C., and Olah, T. (2000). Mechanistic investigation of ionization suppression in electrospray ionization. J Am Soc Mass Spectrom *11*, 942-950.
- Kostiainen, R., and Kauppila, T.J. (2009). Effect of eluent on the ionization process in liquid chromatography-mass spectrometry. J Chromatogr A *1216*, 685-699.
- Larger, P.J., Breda, M., Fraier, D., Hughes, H., and James, C.A. (2005). Ion-suppression effects in liquid chromatography-tandem mass spectrometry due to a formulation agent, a case study in drug discovery bioanalysis. J Pharm Biomed Anal *39*, 206-216.
- Liang, H.R., Foltz, R.L., Meng, M., and Bennett, P. (2003). Ionization enhancement in atmospheric pressure chemical ionization and suppression in electrospray ionization between target drugs and stable-isotope-labeled internal standards in

quantitative liquid chromatography/tandem mass spectrometry. Rapid Commun Mass Spectrom *17*, 2815-2821.

- Lindegardh, N., Annerberg, A., White, N.J., and Day, N.P. (2008). Development and validation of a liquid chromatographic-tandem mass spectrometric method for determination of piperaquine in plasma stable isotope labeled internal standard does not always compensate for matrix effects. J Chromatogr B Analyt Technol Biomed Life Sci *862*, 227-236.
- Little, J.L., Wempe, M.F., and Buchanan, C.M. (2006). Liquid chromatography-mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma. J Chromatogr B Analyt Technol Biomed Life Sci *833*, 219-230.
- Mallet, C.R., Lu, Z., and Mazzeo, J.R. (2004). A study of ion suppression effects in electrospray ionization from mobile phase additives and solid-phase extracts. Rapid Commun Mass Spectrom *18*, 49-58.
- Marchi, I., Viette, V., Badoud, F., Fathi, M., Saugy, M., Rudaz, S., and Veuthey, J.L. (2010). Characterization and classification of matrix effects in biological samples analyses. J Chromatogr A *1217*, 4071-4078.
- Matuszewski, B.K., Constanzer, M.L., and Chavez-Eng, C.M. (2003). Strategies for the assessment of matrix effect in quantitative bioanalytical methods based on HPLCMS/ MS. Anal Chem *75*, 3019-3030.
- Mei, H. (2005). Matrix Effects: Causes and Solutions. In Using Mass Spectrometry for Drug Metabolism Studies, W.A. Korfmacher, ed. (CRC Press), pp. 103-149.
- Mei, H., Hsieh, Y., Nardo, C., Xu, X., Wang, S., Ng, K., and Korfmacher, W.A. (2003). Investigation of matrix effects in bioanalytical high-performance liquid chromatography/tandem mass spectrometric assays: application to drug discovery. Rapid Commun Mass Spectrom *17*, 97-103.
- Pascoe, R., Foley, J.P., and Gusev, A.I. (2001). Reduction in matrix-related signal suppression effects in electrospray ionization mass spectrometry using on-line two-dimensional liquid chromatography. Anal Chem *73*, 6014-6023.
- Polson, C., Sarkar, P., Incledon, B., Raguvaran, V., and Grant, R. (2003). Optimization of protein precipitation based upon effectiveness of protein removal and

ionization effect in liquid chromatography-tandem mass spectrometry. J Chromatogr B Analyt Technol Biomed Life Sci *785*, 263-275.

- Remane, D., Meyer, M.R., Wissenbach, D.K., and Maurer, H.H. (2010a). Ion suppression and enhancement effects of co-eluting analytes in multi-analyte approaches: systematic investigation using ultra-high-performance liquid chromatography/mass spectrometry with atmospheric-pressure chemical ionization or electrospray ionization. Rapid Commun Mass Spectrom *24*, 3103-3108.
- Schuhmacher, J., Zimmer, D., Tesche, F., and Pickard, V. (2003). Matrix effects during analysis of plasma samples by electrospray and atmospheric pressure chemical ionization mass spectrometry: practical approaches to their elimination. Rapid Commun Mass Spectrom *17*, 1950-1957.
- Shou, W.Z., and Naidong, W. (2003). Post-column infusion study of the 'dosing vehicle effect' in the liquid chromatography/tandem mass spectrometric analysis of discovery pharmacokinetic samples. Rapid Commun Mass Spectrom *17*, 589-597.
- Taylor, P.J. (2005). Matrix effects: the Achilles heel of quantitative high-performance liquid chromatography-electrospray-tandem mass spectrometry. Clin Biochem *38*, 328-334.
- Tiller, P.R., and Romanyshyn, L.A. (2002). Implications of matrix effects in ultra-fast gradient or fast isocratic liquid chromatography with mass spectrometry in drug discovery. Rapid Commun Mass Spectrom *16*, 92-98.
- Van De Steene, J.C., and Lambert, W.E. (2008). Comparison of matrix effects in HPLC-MS/MS and UPLC-MS/MS analysis of nine basic pharmaceuticals in surface waters. J Am Soc Mass Spectrom *19*, 713-718.
- Van Hout, M.W., Niederlander, H.A., de Zeeuw, R.A., and de Jong, G.J. (2003). Ion suppression in the determination of clenbuterol in urine by solid-phase extraction atmospheric pressure chemical ionisation ion-trap mass spectrometry. Rapid Commun Mass Spectrom *17*, 245-250.
- Wang, S., Cyronak, M., and Yang, E. (2007). Does a stable isotopically labeled internal standard always correct analyte response? A matrix effect study on a LC/MS/MS method for the determination of carvedilol enantiomers in human plasma. J Pharm Biomed Anal *43*, 701-707.

- Weaver, R., and Riley, R.J. (2006). Identification and reduction of ion suppression effects on pharmacokinetic parameters by polyethylene glycol 400. Rapid Commun Mass Spectrom *20*, 2559-2564.
- Xu, X., Mei, H., Wang, S., Zhou, Q., Wang, G., Broske, L., Pena, A., and Korfmacher, W.A. (2005). A study of common discovery dosing formulation components and their potential for causing time-dependent matrix effects in high-performance liquid chromatography tandem mass spectrometry assays. Rapid Commun Mass Spectrom *19*, 2643-2650.